SPECIFICATION SHEET

Description

Made from Tillman's legendary premium extreme duty side split Cowhide, the 1155 is one tough pipeline and stick welding glove. The 1155 is a 20" glove that offers a best-in-class ¼" foam insulation from the wrist to the elbow protects against heat buildup allowing the welder to lean against material.

A pliable cotton/foam lining on the palm and back of hand protect from heat yet also allow the welder excellent dexterity for a firm grip on the electrode holder. The double reinforce wing thumb offers added strength on key stress areas to maximize wear and protection.

The Tillman 1155 delivers the heat resistance and great gripping power needed for heavy-duty welding.

Features

- Full 20" of protection
- Tillman's premium side split Cowhide delivers durable protection in high heat welding conditions
- ¼" foam lining from the wrist to the elbow for maximum heat resistance
- Cotton/foam lined back and palm allows excellent dexterity for a firm grip on the electrode holder and added heat resistance
- Double reinforced thumb adds strength where stress and wear is most common
- Welted fingers protect stitching from burning and abrasion
- Dupont™ Kevlar® stitching throughout adds strength and resists heat and spatter
- Sizes: L Also available in Left and Right only



Technical Specifications

Glove Material: Premium Cowhide Split Cuff Material: Split Cowhide with 1/4" foam

Hand Lining: Foam & Cotton Stitching: DuPont™ Kevlar® **Closure:** Straight cuff

Applications

- Construction sitesOil pipelines
- Wind energy

Demolition & salvage

- Utility crews
- Shipyards
- Fabrication
- Manufacturing
- Steel Mills
- Oil & Gas

Packaging Information

| | | Piece Information | | | | | Inner Pack Info - 12 Pcs | | | | | Master Pack Info - 72 Pcs | | | | |
|-------|------|-------------------|-------|------|------|----|--------------------------|-------|------|------|----|---------------------------|---|---|---|----|
| Size | SKU | Piece UPC | L | W | Н | Wt | Inner Pk UPC | L | W | Н | Wt | Master Pk UPC | L | W | Н | Wt |
| Large | 1155 | 608134115500 | 20.00 | 7.50 | 1.00 | | NA | 16.00 | 7.50 | 6.50 | | | | | | |



Prop 65 Warning: This product can expose you to chemicals Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov

DuPont™, Nomex® and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

