





Great glifts for the welder in your life

The Brand Pros Demand

LMAN

Tillman 750 & 850, the best gloves on the pipline.

- Top grain Elkskin back and rough side out palm deliver a superior feel and performance. Available in Pearl 750 or Gold 850.
- 2 Cotton/foam lined back adds additional heat protection.
- 3 14" length.
- 4 Pull Tab provides easy on/off and extra protection while dragging a welding gun.
- 5 Welted fingers protect stitching from burning and abrasion.
- 6 Reinforced straight thumb for grip.
- 7 Cowhide split cuff stays in place, won't roll or bunch.
- B Durable lock stitching with DuPont[™] Kevlar[®] stitching adds strength and resists heat and spatter.

750 Sizes: S, M, L, XL, 2X. Available in left hand only: **750LL Large**.

850 Sizes: S, M, L, XL. Available in left hand only: **850LL Large**.







WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Premium Side Split Cowhide Welding & Stick Gloves

1200

- Premium bourbon brown side split Cowhide, 14" length.
- 2 Cotton lined gloves provide welders the best dexterity and moisture absorption.
- Welted fingers protect stitching from burning and abrasion.
- 4 Pull Tab provides easy on/off and extra protection while dragging a welding gun.
- 5 DuPont[™] Kevlar[®] stitching adds strength and resists heat.
- 6 Double reinforced straight thumb adds strength where stress is most common.

Size: L



1050-18

- Premium Bourbon brown side split Cowhide.
- Cotton lined.
- 18" length.
- Welted fingers.
- Wing thumb.
- Lock stitched with DuPont™ Kevlar[®] thread.
- Size: L.



1050-23

• Premium Bourbon brown side split Cowhide.

6

4

3

- Cotton lined.
- 23" length.
- Welted fingers.
- Wing thumb.
- Cinch buckle.
- Lock stitched with DuPont[™] Kevlar[®] thread.
- Size: L.



1050

- Premium Bourbon brown, side split Cowhide.
- Cotton lined.
- 14" length.
- Welted fingers.
- Wing thumb.
- Lock stitched with DuPont™ Kevlar[®] thread.
- Size: L.



1100

- Premium Blue side split Cowhide.
- Cotton lined.
- 14" length.
- Welted fingers.Wing thumb.
- Lock stitched with DuPont™ Kevlar[®] thread.
- Size: L.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont", Nomex®, and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company



1

2

5

Premium Side Split Cowhide Welding & Stick Gloves

1252 New

- Premium top grain blue side split Cowhide, 14" length.
- 2 DuPont[™] Kevlar[®] lining provides ANSI A6 cut resistance on the fingers, palm, and back of hand.
- 3 Welted fingers protect stitching from burns and abrasions.
- 4 Wing thumb for most natural feel and best for allaround welding work gun grip.
- 5 Double reinforced thumb adds strength where stress is most common.
- 6 DuPont[™] Kevlar[®] stitching adds strength and resists heat.

Size: M, L, XL, 2X.



1150

- Premium Bourbon Brown side split Cowhide.
- Cotton/foam lined.
- 14" length.
- Welted fingers.
- Double reinforced wing thumb.
- Lock stitched with DuPont™ Kevlar[®] thread.
- Size: L.





1205

- Premium Black side split Cowhide.
- Cotton/foam lined.
- 14" length.
- Welted fingers.
- Double reinforced wing thumb.
 Lock stitched with DuPont[™]
- Kevlar[®] thread.
- Size: L.









- Premium Blue side split Cowhide
- · Cotton/foam lined.
- 14" length.
- Welted fingers.
- Double reinforced wing thumb.
- Lock stitched with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL, 2X.
- Available in left hand only: **1250LL**
- Available in vend-ready size: 1250VM Large.

1260

- Premium Green side split Cowhide.
- Cotton/foam lined.
- 14" length.
- Welted fingers.
- Double reinforced wing thumb.
 Lock stitched with DuPont[™]
- Kevlar[®] thread.
- Size: L.

1270

- Premium Red side split Cowhide.
- · Cotton/foam lined.
- 14" length.
- Welted fingers.
- Double reinforced wing thumb.
- Lock stitched with DuPont[™] Kevlar[®] thread.
- Size: L.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont[™], Nomex[®], and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company



 \checkmark

Welding Accessories

556 - Aluminized Rayon Back-Hand Pad

- · Heavy duty protection.
- Reversible.
- Aluminized Carbon DuPont[™] Kevlar[®] top and bottom resistant to heat, sparks and spatter.
- Middle layer 1/2" glass mat insulation.
- Leather and elastic straps DuPont[™] Kevlar[®] stitched and stapled.
- Straps can be reversed to opposite side.
- · Header card for mechandising.
- 7 1/2"H x 5 3/4"W.
- Available in:

556AR - Same back-hand pad except top and bottom layers made from Aluminized Rayon.

555 - Aluminized Back-Hand Pad

- Heavy duty protection.
- Aluminized Carbon DuPont[™] Kevlar[®] most resistant to heat, sparks and spatter.
- Designed to protect back of hand and fingertips.
- Single elastic strap.
- Header card for mechandising.
- 9 1/2" H x 5 1/4" W.



550 - Aluminized Back-Hand Pad

- Standard protection.
- Leather and elastic straps.
 Top: Aluminized Carbox Discourses
- Top: Aluminized Carbon DuPont[™] Kevlar[®] - most resistant to heat, sparks and spatter.
- Bottom: Vermiculite coated fiberglass.
- Header card for mechandising.
- 7 1/2" H x 5 1/2" W.

552 - Aluminized Back-Hand Pad

- Heavy duty protection.
- Top: Aluminized Carbon DuPont[™] Kevlar[®] - most resistant to heat, sparks and spatter.
- Middle/Bottom: Two layers of vermiculite coated fiberglass.
- Heavy duty leather straps: Fixed top strap, adjustable bottom strap with hook & loop closure.
- Header card for mechandising.
- 7 1/2" H x 5 1/2" W.





550X - Aluminized Back-Hand Pad

- Economy protection.
- Economy version of 550.
- Leather and elastic straps.
- Top: Aluminized Rayon
- Bottom: Acrylic coated fiberglass.
 Great heat reflection, not good for heavy spatter.
- 7 1/2" H x 5 1/2" W.

554 - Aluminized Ceramic Wool Back-Hand Pad

- Heavy duty protection.
- Top: Aluminized Carbon DuPont[™] Kevlar[®], most resistant to heat, sparks and spatter.
- Middle: Layer of 1500°F melt, ceramic wool material.
- Bottom: Acrylic coated fiberglass.
- Leather and elastic straps.
- Header card for mechandising.
- 7 1/2" H x 5 1/2" W.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.





Premium Insulated MIG Welding Gloves



48

- Top grain Goatskin palm with Cowhide split back.
- Top grain seamless index finger.
- Straight thumb with thumb strap reinforcement.
- Fleece lined.
- 3 1/2" cuff.
- Sewn with DuPont™ Kevlar® thread.
- Sizes: S, M, L, XL.
- Available in vend-ready size: 48VM M-XL.



Glide patches

49

- Top grain Goatskin palm with Cowhide split back with elastic.
- Straight thumb.
 - Thumb strap and patch reinforcements.
- Fleece lined.
- · Glide patches on side of palm and cuff.
- Top grain seamless index finger.
- Longer 5" cuff.
- Sewn with DuPont™
- Kevlar® thread.
- Sizes: M, L, XL.



50

- Top grain Cowhide palm with Cowhide split leather back.
- Fleece lined.
- Top grain seamless index finger.
- Wing thumb.
- Cowhide split 4" cuff.
- Sewn with DuPont™ Kevlar® thread.
- Sizes: S, M, L, XL, 2X.
- Available in left hand only: 50LL Large.
- Available in vend-ready sizes: 50VM M-2X.



Anti-Vibration

52

- Top grain Cowhide palm with Cowhide split leather back.
- Fleece lined.
- Anti-Vibration gel inserts for ergonomic handling of grinders and other hand tools.
- Top grain seamless index finger.
- Wing thumb.
- Cowhide split 4" cuff. •
- Sewn with DuPont[™] Kevlar® thread.
- Sizes: M, L, XL.





New 53

- Top grain and split Cowhide.
- Fleece lined.
- Strategically placed breaks in the leather for outstanding hand movement.
- Glide Patch[™] for comfort and heat relief.
- Leather heat shield on the side of the palm for added heat protection.
- Keystone thumb.
- Sewn with DuPont™ Kevlar® thread.
- 5 1/2" cuff.
- Sizes: S,M, L, XL, 2X, 3X.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.



Premium MIG Welding Gloves

32

- Heavyweight top grain Pigskin.
- Unlined.
- Straight thumb.
- 4" cuff.
- Sewn with DuPont[™] Kevlar[®] thread.
- · Sizes: S, M, L, XL.
- Available in vend-ready sizes: 32VM S-XL.





32K

 Heavyweight top grain Pigskin.
 DuPont[™] Kevlar[®] lined palm meets ANSI cut resistance

BEST

- level A2. • Straight thumb.
- 4" cuff.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: **32KVM** S-2X.

42

- Heavyweight Top grain Pigskin for added heat resistance.
- Foam lined back
- Unlined palm.
- Straight thumb with thumb strap reinforcement.
- 4" cuff.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL.
- Available in vend-ready sizes: **42VM** M-XL.



NAMAN'

(H)

35

- Premium heavyweight reverse golden Deerskin.
- Unlined palm.
- Cotton/foam lined back for added heat protection.
- Straight thumb with added reinforcement strap.
- 4" cuff.
- Lock stitched with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL.

34

- Heavyweight top grain Cowhide.
- Foam lined back for added
- heat resistance.Unlined palm.
- Straight thumb with thumb strap reinforcement.
- Lock stitched with DuPont[™] Kevlar[®] thread.
- 4" cuff.
- Sizes: M, L, XL.
- Available in vend-ready sizes: **34VM** M-XL.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.







Premium Kidskin / Goatskin TIG Welding Gloves

24C

- 1 Premium pearl top grain Kidskin, 4" Cowhide split cuff.
- 2 Unlined to maximize feel & dexterity.
- 3 Sewn with DuPont[™] Kevlar[®] for added protection.
- 4 Straight thumb for best gun grip.

Size: XS, S, M, L, XL, 2X. Available in left hand or right hand only: **24CLL**, **24CLRHO**.

Available in vend-ready sizes: **24CVM** S-XL.

Tillman's 24C TIG glove,

the best selling TIG glove in America.



SELLER

SHOL



24D

- Premium top grain pearl Kidskin.
- Unlined.
- Straight thumb.
- 2" Cowhide split cuff.
 Sewn with DuPont[™] Kevlar[®]
- thread for added protection. • Sizes: 2XS, XS, S, M, L, XL.
- Available in vend-ready sizes: 24DVM S-XL.

1328

- Pearl top grain Goatskin.
- Seamless index finger.
 Unlined to maximize feel and dexterity.
- Wing thumb.
- Cowhide split 4" cuff.
- Sewn with DuPont[™] Kevlar[®] thread for added protection.
- Sizes: S, M, L, XL.

44

- Premium black top grain Kidskin.
- Unlined to maximize feel and dexterity.
- Straight thumb.
- Top grain Kidskin 4" cuff.
- Sewn with DuPont[™] Kevlar[®] thread for added protection.
- Sizes: S, M, L, XL.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov. DuPont[™], Nomex[®], and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Premium Goatskin TIG Welding Gloves



1325 New

- Tillman's supple top grain Goatskin.
- Rough side out Goatskin reinforces the thumb & forefinger & still allows for an excellent sense of touch.
- A leather heat shield from the wrist to the tip of the pinky provides protection from heat.
- Slightly undersized for outstanding tactile sensitivity.
- Reinforced wing thumb for added durablity.
- Sewn with DuPont[™] Kevlar[®] thread.
- 4" cuff.
- Sizes: XS, S, M, L, XL, 2X.





1332 New

- Soft, abrasion resistant top grain Goatskin.
- A6 cut resistance from the finger tips through the top of the cuff.
- Level 3 Abrasion & Puncture resistance.
- Glide patch on the side of the palm for added heat relief.
- Reinforced wing thumb for added durability.
- · Cinched wrist provides a secure fit.
- Rolled cuff on side of the wrist for an easy glide on a welding table.
- Sewn with DuPont[™] Kevlar[®] thread.
- 4" cuff.
- Sizes: S, M, L, XL, 2X, 3X.

1488

- Top grain Goatskin palm & back for superior feel & dexterity.
- DuPont[™] Kevlar[®] FR stretch inserts.
- "V" thumb design enhances fit, less bunching.
- Suitable for TIG welding.
- Smaller hook & loop closure.
- Short, contoured cuff with internal elastic.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL, 2X.





1493

- Top grain Goatskin back with added flame resistant DuPont[™] Kevlar[®] FR stretch inserts.
- Padded top grain Goatskin double palm. Smaller hook & loop closure.
- Suitable for TIG welding.
- Double reinforced fingertips.
- Reinforced thumb.
- Tapered cuff with internal elastic.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: M, L, XL, 2X.



1499

- Top grain Goatskin padded double palm extends to base of fingers.
- DuPont[™] Kevlar[®] FR stretch inserts.
- Smaller hook & loop closure.
- Suitable for TIG welding.
- Double reinforced finger tips on both sides.
- Reinforced thumb.
- Sewn with DuPont[™] Kevlar[®] thread.
- Impact pads to protect the back of hand
 - Sizes: S, M, L, XL.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

OilX[™]Gloves

Let's face it, when working a tough job in wet, oily and greasy conditions, no one likes to feel liquid seep through their leather gloves. To combat this, Tillman is introducing OilX[™], a molecular additive developed for Tillman that repels oil, grease and liquids from penetrating leather and reaching the hands.

Tillman's OilX[™] is added during the tanning process, not a coating sprayed on when the glove is manufactured. Adding OilX[™] during the tanning process allows the additive to be fully infused into the leather for complete penetration and maximum protection, keeping oil and liquids from soaking through.

OilX[™] causes oil and liquids to bead off the leather, keeping hands protected, clean and dry.

@eg_fabworks



Glide patch resists heat buildup and allows added protection when MIG welding.



Oil and water will not penetrate the leather with OilX[™].



Para-aramid lining offers high strength, additional resistance to abrasion and is non-conductive.



Keystone thumb maximizes flexibility and minimizes thumb fatigue.



WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Premium OilX[™] Gloves



A7 4 4

1340

- Premium top grain Goatskin MIG Glove with ANSI A7 Cut Resistance & level 4 Abrasion Puncture resistance.
- OilX[™] keeps oil and liquids from soaking through the leather.
- Para-Aramid lining is included on the fingers, palm, back of hand and cuff.
- Flexible, straight thumb.
- Glide patch on the side and the palm.
- Thumb strap.
- Sewn with DuPont[™] Kevlar[®] thread for added strength & longer life of the glove.
 - Sizes: S, M, L, XL, 2X.





1446

- Premium top grain Goatskin with level 1 Impact protection, ANSI A6 Cut resistance, and level 4 Abrasion & Puncture resistance.
- OilX[™] keeps oil and liquids from soaking through the leather.
- Flexible 5mm TPR offers ANSI level 1 impact protection for the back of hand, fingers, knuckles and thumb.
- ANSI A6 Cut protection with Para-Aramid lining.
- Highly flexible, keystone thumb.
 - Shirred elastic wrist.
 - Sewn with DuPont[™] Kevlar[®] thread for added strength & longer life of the glove.
- Sizes: M, L, XL, 2X.





1445



- Premium top grain Goatskin Drivers with OilX[™] and ANSI A6 cut resistance, level 4 Abrasion, and Puncture resistance.
- ANSI A6 Cut protection is achieved with a Para-Aramid lining.
- OilX[™] keeps oil and liquids from soaking through the leather.
- Highly flexible, keystone thumb.
- Shirred elastic wrist.
- Sewn with DuPont[™] Kevlar[®] thread for added strength & longer life of the glove.
- Sizes: S, M, L, XL, 2X.



1444

- Premium top grain Goatskin Drivers with OilX[™].
- OilX[™] keeps oil and liquids from soaking through the leather.
- Highly flexible, keystone thumb.
- Shirred elastic wrist.
- Sewn with DuPont[™] Kevlar[®] thread for added strength & longer life of the glove.
- Sizes: S, M, L, XL, 2X.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Premium Performance Gloves





Anti-Vibration

1489

- Top grain Goatskin padded double palm.
- Nylon spandex back for a precision fit.
- Anti-Vibration Gel on palm and fingers.
- Double reinforced finger tips for a better grip & longer glove life.
- Reinforced thumb with side bolsters provides additional
- protection for side surface work.
- Longer hook & loop closure.
- Not designed for welding.
- Sizes: M, L, XL.

1495

- Top grain Goatskin double padded palm and thumb.
- Nylon spandex back.
- 40 gram Thinsulate[™] great for cold weather use.
- Double reinforced finger tips.
- Reinforced thumb with side bolsters provides additional protection for side surface work.
- Hook & loop top wrist closure. Not designed for welding.
- Sizes: M, L, XL, 2X.

1493

- · Top grain Goatskin back with added flame resistant DuPont™ Kevlar[®] stretch inserts.
- No spandex.
- Padded top grain Goatskin double palm extends to base of finaers.
- Double reinforced fingertips.
- Reinforced thumb.
- Tapered cuff with internal elastic.
- Smaller hook & loop closure.
- Sewn with DuPont" Kevlar® thread.
- Suitable for TIG welding.
- Sizes: M, L, XL, 2X.

1490

- Top grain Goatskin padded double palm extends to base of fingers for added protection.
- Double reinforced finger tips for a better grip & longer glove life.
- Reinforced thumb with side bolsters provides additional protection for side surface work.
- Not designed for welding.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: 1490VM M-2X.



Thinsulate

1494

- Top grain Goatskin padded double palm extends to base of fingers.
- TPR knuckle, finger, and thumb.
- Nylon spandex on the backside.
- Breathable finger design.
- Longer hook & loop closure.
- Double reinforced fingertips.
- Not designed for welding.
- Sizes: M, L, XL.



IMPACT PROTECTION

1498

- · Synthetic leather palm with added nonslip, padded synthetic reinforcement, extends to base of fingers.
- · Hi-Viz orange nylon spandex on backside.
- TPR knuckle, finger, and thumb.
- Machine washable, hook & loop closure.
- Not designed for welding.
- Sizes: M, L, XL.



1499

- Top grain Goatskin padded double palm extends to base of fingers. No spandex.
- TPR knuckle, finger, thumb, and back of hand.
- DuPont[™] Kevlar[®] stretch inserts.
- Hook & loop closure.
- Double reinforced finger tips on both sides.
- Reinforced thumb.
- Sewn with DuPont[™] Kevlar[®] thread.
- Suitable for TIG welding.
- Sizes: S, M, L, XL.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.













1477 New

- Abrasion resistant top grain Goatskin.
- High-Viz spandex back provides a perfect fit and keeps hands cool.
- Rough side out reinforced palm for longer life, better gripping power.
- ANSI A7 Cut Resistance on palm, back of hand and fingers. Level 4 Abrasion & Puncture resistance.
- Elastic cuff with hook & loop closure for a secure fit.
- Not designed for welding.
- Sizes: S, M, L, XL, 2X, 3X.

1480

- Top grain gold Deerskin with rough side out double palm.
- Nylon spandex back for a precision fit.
- · Reinforced thumb.
- Elastic cuff with hook & loop.
- Top grain leather side bolsters.
- All finger tips covered in leather.
- Not designed for welding.
- Sizes: S, M, L, XL, 2X.



1488

- The TrueFit[®] glove that fits like a golf glove.
- Top grain Goatskin palm & back.
- Black DuPont[™] Kevlar[®] FR stretch inserts.
- Entirely DuPont[™] Kevlar[®] sewn.
- Short, contoured cuff with internal elastic.
- "V" thumb design enhances fit, less bunching.
- Suitable for TIG Welding.
- Sizes: S, M, L, XL, 2X.

1485

- Moisture resistant top grain Pigskin with rough side out double palm.
- Nylon spandex back for a precision fit.
- 40 gram Thinsulate[™] lined keeps hands warm.
- Reinforced thumb.
- Elastic cuff with hook & loop.
- Top grain leather side bolsters.
- All finger tips covered in leather.
- Not designed for welding.
- Sizes: M, L, XL, 2X.

1475

- Thicker, top grain gold Cowhide with rough side out double palm.
- Nylon spandex back for a precision fit.
- Reinforced thumb.
- Top grain leather side bolsters.
- Elastic cuff with hook & loop.
- All finger tips covered in leather.
- Not designed for welding.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: 1475VM S-2X.





WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont[™], Nomex[®], and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company





BEST



1470

- Top grain Goatskin with rough side out double palm.
- Nylon Spandex back for a precision fit.
- Top grain leather side bolsters.
- All finger tips covered in leather for heavy wear area protection.
- Reinforced thumb to protect severe stress areas.
- Elastic cuff with hook & loop.
- Not designed for welding.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: 1470VM S-2X.





Premium Top Grain / Split Cowhide Drivers Gloves



A7 4 5

1457 New

- Top grain Cowhide palm with our legendary bourbon brown Cowhide split leather back.
- ANSI A7 Cut resistance, ANSI Level 4 abrasion, and Level 5 puncture protection.
- Cinched cuff.
- Leather rolled cuff.
- Keystone thumb.
- Double stitching on index finger.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: XS, S, M, L, XL, 2X, 3X.



America's Best Selling **Drivers Glove!**

1414

- Top grain Cowhide palm, split leather back.
- Double stitching on index finger.
- Keystone thumb.
- Shirred elastic wrist.
- Leather rolled cuff.
- Sizes: XS, S, M, L, XL, 2X, 3X. Available in vend-ready sizes:
- 1414VM S-2X.

Anti-Vibration

Top grain Cowhide palm with

1462

- Cowhide split back with elastic. Unlined for maximum feel & dexterity.
- Split leather palm and thumb with
- integrated Anti-Vibration dampening del pads.
- Keystone thumb.
- Leather rolled cuff.
- Sizes: M, L, XL.

1418

- Top grain Cowhide palm, split Cowhide double palm, and split leather back.
- Double stitching on index finger

- Sizes: S, M, L, XL.



1464

- · Top grain Cowhide palm with added split leather double palm, rollover index finger, and thumb reinforcement.
- Cowhide split back with elastic.
- Leather rolled cuff.
- Keystone thumb for a natural feel
 - Sewn with DuPont[™] Kevlar[®] thread.
 - Sizes: S, M, L, XL, 2X.

1428

- Long lasting top grain Cowhide palm.
- Cowhide split back with elastic.
- Cotton lined back.
- Seamless index finger.
- Keystone thumb.
- Shirred elastic wrist.
- Leather rolled cuff.
- Sewn with DuPont[™] Kevlar[®] thread.
- Sizes: S, M, L, XL, 2X.

1414CW


- Bourbon Cowhide split leather back.
- Heavy duty top grain pearl Cowhide palm.
- Water resistant leather.
- Insulated with 40 grams of 3M Thinsulate[™] lined.
- Flexible keystone thumb.
- Knitted wrist keeps snow & debris out of glove.
- Forefinger touch screen capabilities.
 - Sizes: S, M, L, XL, 2XL, 3XL.
- Water Touch resistant leather Screen

@oldanvilspeedshop



WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont", Nomex®, and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company



Premium Top Grain Drivers Gloves



764

- Premium heavyweight top grain Cowhide.
- Unlined.
- Wing thumb.
- · Seamless index finger.
- Slip-on style cuff.
- Sewn with DuPont[™] Kevlar[®] thread.
- Great for MIG welding.
- Tape cuff.
- Sizes: S, M, L, XL.



1410

- Premium top grain Pigskin.
- Unlined.
- · Inseam on index finger.
- Keystone thumb.
- Tape cuff.
- Sizes: S, M, L, XL.
- Available in vend-ready sizes:
 1410VM M-XL.



1421

- Premium top grain Cowhide.
- Unlined.
- Double stitched index finger.
- · Keystone thumb.
- · Leather rolled cuff.
- · Pull strap adjustor.
- · Sizes: S, M, L, XL.

SELLER



1415

- Premium top grain Goatskin.
- Unlined.
- Excellent abrasion resistance and tensile strength.
- Keystone thumb.
- Tape cuff.
- Sizes: S, M, L, XL.



1420

- Premium top grain Cowhide.
- Unlined.
- Double stitched index finger.
- Straight thumb.
- Leather rolled cuff.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: 1420VM S-2X.



- Premium Top grain Cowhide.
- Unlined for maximum feel and dexterity.
- Double stitched index finger.
- Keystone thumb.
- · Leather rolled cuff.
- Sizes: S, M, L, XL, 2X.
- Available in vend-ready sizes: **1424VM** S-2X.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.



Premium Winter Gloves







865

- Premium top grain Deerskin.
- 100 gram 3M Thinsulate[™] lined.
- Double stitched index finger.
- · Keystone thumb.
- Shirred elastic wrist.
- · Rolled leather cuff.
- Sizes: M, L, XL, 2X.

Thinsulate

1403

- Premium abrasion resistant top grain Goatskin.
- Insulated with 100 grams of 3M Thinsulate[™] lined and WaterShield[™] (water resistant molecular coating).
- WaterShield[™] repels water from soaking through the leather.
- Flexible keystone thumb.
- · Shirred elastic wrist.
- Rolled leather cuff.
- Sizes: M, L, XL, 2XL.

Water Resistant

1414CW

- Bourbon Cowhide split leather back.
- · Heavy duty top grain pearl Cowhide palm.
- Insulated with 40 grams of 3M Thinsulate[™] lined.
- Flexible keystone thumb.
- · Knitted wrist keeps snow & debris out of glove.
- Forefinger touch screen capabilities.
- Sizes: S, M, L, XL, 2XL, 3XL.

Water Resistant

Thinsulate

Water Touch resistant leather

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

TrueFit[®] Winter Gloves



1486

- 1 Naturally moisture resistant top grain Pigskin.
- 2 Hi-Viz orange spandex back with 3M reflective knuckle strip.
- 3 40 gram Thinsulate[™] lined keeps hands warm.
- 4 Double palm with rough side out surface for better gripping.
- 5 Double stitched leather fingertips.
- 6 Reinforced thumb.
- 7 Top grain leather side bolsters.
- 8 All finger tips covered in leather.
- 9 Elastic cuff, hook & loop closure.

Not designed for welding.

Sizes: M, L, XL, 2X.





IRUEFI TRUEFIT 1485 1495 · Moisture resistant top grain Pigskin with rough Top grain Goatskin double padded palm & thumb. side out double palm. Nylon spandex back. 40 gram Thinsulate[™] lined keeps hands warm. · Nylon spandex back for a precision fit. 40 gram Thinsulate[™] lined keeps hands warm. Double reinforced finger tips. Reinforced thumb. Reinforced thumb with side bolsters provides • Elastic cuff with hook & loop. additional protection for side surface work. · Top grain leather side bolsters. Hook & loop top wrist closure. ٠ All finger tips covered in leather. Not designed for welding. Not designed for welding. • Sizes: M, L, XL, 2X. Sizes: M, L, XL, 2X. Thinsulate Thinsulate

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont", Nomex®, and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Premium Dark Brown Leather Clothing



- 1 Premium dark brown side split Cowhide Jacket hides dirt, is specially tanned for greater heat resistance, and added protection from sparks & spatter.
- 2 Satin lined, shoulders/sleeves allow for easy on/off.
- 3 Raglan Sleeves are designed to follow natural shape of shoulder, for greater freedom and better overall movement.
- 4 All seams double lock stitched with DuPont[™] Kevlar[®].
- 5 Button snaps are all black anodized to prevent arc flashback and are leather reinforced. Adjustable snaps at wrists and back. Stress points are rivet reinforced. All hardware plated to prevent rust.
- 6 Convenient outside pocket for small item storage.
- 7 Soapstone pocket on sleeves.

See table below for available sizes.

Part #	Description	Length	Sizes
3826	Jacket	26"	M, L, XL, 2X, 3X
3830	Jacket	30"	M, L, XL, 2X, 3X, 4X

- Premium dark brow 20" Bib.
 Satin lined, should tanned for greater sparks & spatter.
 Raglan Sleeves ar shoulder, for greated
 All seams double loc
 Button snaps are at the state of the
- Premium dark brown side split Cowhide Cape Sleeve with 20" Bib.
 - 2 Satin lined, shoulders/sleeves allow for easy on/off. Specially tanned for greater heat resistance and added protection from sparks & spatter.
 - 3 Raglan Sleeves are designed to follow natural shape of shoulder, for greater freedom and better overall movement.
 - 4 All seams double lock stitched with DuPont[™] Kevlar[®].
 - 5 Button snaps are all black anodized to prevent arc flashback and are leather reinforced. Adjustable snaps at wrists and back. Stress points are rivet reinforced. All hardware plated to prevent rust.
 - 6 Soapstone pocket on sleeves.
 - 7 Open back maximizes ventilation.

Accepts Tillman 14", 20" leather bib. See table below for available sizes.

Part #	Description	Sizes
3821	Cape Sleeve	M, L, XL, 2X, 3X
3814	14" Bib	M, L, XL, 2X, 3X
3820	20" Bib	M, L, XL, 2X, 3X
3821-14	Cape + 14" Bib	M, L, XL, 2X, 3X
3821-20	Cape + 20" Bib	M, L, XL, 2X, 3X

Size Chart

2

Small	36" - 38"	2X Large	52" - 54"
Medium	40" - 42"	3X Large	56" - 58"
Large	44" - 46"	4X Large	60" - 62"
X Large	48" - 50"	5X Large	64" - 66"



WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Bourbon Brown Leather Gloves

- 1 Premium bourbon brown side split Cowhide Jacket is soft, pliable, durable side split leather, specially tanned for heat resistance.
- 2 All seams double lock stitched with DuPont[™] Kevlar[®].
- 3 Underarm gusset allows for easier movement.
- 4 All button snaps black anodized to prevent arc flashback and are leather reinforced. Adjustable snaps at wrists and back. All stress points rivet reinforced. All hardware plated to prevent rust.
- 5 Convenient outside pocket for small item storage.
- 6 Soapstone pocket on sleeves.

See table below for available sizes.

Part #	Description	Length	Sizes
3260	Jacket	26"	S, M, L, XL, 2X, 3X
3280	Jacket	30"	M, L, XL, 2X, 3X, 4X, 5X
3285	Jacket	36"	S, M, L, XL, 2X, 3X

3221

- 1 Premium bourbon brown side split Cowhide Cape Sleeve with 20" Bib.
- 2 All seams double lock stitched with DuPont[™] Kevlar[®].
- 3 Underarm gusset allows for easier movement.
- 4 All button snaps black anodized to prevent arc flashback and are leather reinforced. Adjustable snaps at wrists and back. All stress points rivet reinforced. All hardware plated to prevent rust.
- 5 Soapstone pocket on sleeves.
- 6 Open back maximizes ventilation.

Accepts Tillman 14", 20" leather bib. See table below for available sizes.

Part #	Description	Sizes
3221	Cape Sleeve	M, L, XL, 2X, 3X
3114	14" Bib	M, L, XL, 2X, 3X
3120	20" Bib	M, L, XL, 2X, 3X
3124	24" Bib	M, L, XL, 2X, 3X
3130	30" Bib	M, L, XL, 2X, 3X
3221-14	Cape + 14" Bib	M, L, XL, 2X, 3X, 4X
3221-20	Cape + 20" Bib	M, L, XL, 2X, 3X, 4X, 5X







Size Chart

Small	36" - 38"	2X Large	52" - 54"
Medium	40" - 42"	3X Large	56" - 58"
Large	44" - 46"	4X Large	60" - 62"
X Large	48" - 50"	5X Large	64" - 66"



WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Freedom Flex Flame Resistant Protective Jackets

3360

- 1 30" premium dark brown side split Cowhide leather jacket.
- 2 Back 10 oz. U.S. made Westex[®] Indura[®] stretch is 20% lighter than leather.
- 3 Raglan sleeves with satin lining for greater overall shoulder and arm movement.
- 4 Double layer of leather for front snaps with rivet reinforced key stress points.
- 5 Soapstone pocket on each sleeve.
- 6 DuPont[™] Kevlar[®] stitched for added strength and heat resistance.
- 7 Outside pocket for small item storage.

Sizes: M, L, XL, 2X, 3X.







Warning: Light duty welding only. Must be kept clean to ensure protection.

9360

- **1** 30" premium FR cotton jacket with side split Cowhide leather raglan sleeves.
- 2 Torso made from royal blue, 9 oz. U.S. made Westex[®] FR7A flame resistant cotton.
- 3 10 oz. U.S. made Westex[®] Indura[®] stretch FR inserts.
- 4 Soapstone pocket on each sleeve.
- 5 Inside pocket for small item storage.
- 6 DuPont[™] Kevlar[®] stitched for added strength and heat resistance.

Sizes: M, L, XL, 2X, 3X.







WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont", Nomex®, and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company

6

Flame Resistant Protective Jackets

9230

- 1 30" length Jacket, 9 oz., 100% cotton, U.S. made Westex[®], FR7A flame resistant cotton.
- 2 Anodized button snaps prevent arc flashback.
- 3 Premium quality side split Cowhide sleeves with double leather reinforced button snaps.
- 4 Spacious inside pocket for small item storage.
- 5 Soapstone pockets on each sleeve.
- 6 Sleeve seams double lock-stitched with DuPont[™] Kevlar[®] thread.

Available in:

9230: Royal blue torso, bourbon brown sleeves.
Sizes: S, M, L, XL, 2X, 3X, 4X, 5X, 6X.
9230-36: 36" long, royal blue torso, bourbon brown sleeves.
Sizes: M, L, XL, 2X, 3X, 4X.
9230D: Orange torso, bourbon brown sleeves.
Sizes: M, L, XL, 2X, 3X, 4X, 5X.
9230DH: Orange torso, bourbon brown sleeves, and harness hole in back.
Sizes: M, L, XL, 2X, 3X, 4X.
9630: Green torso, gray sleeves.
Sizes: M, L, XL, 2X, 3X, 4X, 5X.



Warning: Light duty welding only. Must be kept clean to ensure protection.

9730

- 30" length Jacket 9 oz., black 100% cotton, U.S. made Westex[®], FR7A - flame resistant cotton. Washable up to 50 home or 25 commercial washings.
- 2 Sleeves made of 9 oz., blended Twaron[®]/Lenzing[®] permanently flame resistant fabric - meets NFPA Category 2 ARC resistance and EN388 Level 2 cut resistance.
- 3 Anodized button snaps prevent arc flashback.
- 4 Spacious inside pocket for small item storage.
- 5 Sleeve seams double lock-stitched with DuPont[™] Kevlar[®] thread.
- 6 Sleeves offer ANSI A1 Cut Resistance & Level 3 Puncture Resistance.

Sizes: M, L, XL, 2X, 3X, 4X, 5X.



Warning: Light duty welding only. Must be kept clean to ensure protection.

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California

to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Flame Resistant Protective Sleeves

9215

- ---- Top grain Goatskin / FR Cotton Sleeves.
- Goatskin leather offers added protection from sparks and spatter with less bulk.
- Royal blue 9 oz. U.S. made Westex[®] FR7A flame resistant fabric for upper sleeve.
- 2 1/4" external elastic at both ends secures sleeve to arm.
- --- 18" leather cotton length, 22" overall length.





6218: Green 6218B: Navy 6218D: Orange





5218

5200

BEST

6217



Part #	Description	Weight	Length	Total Length w/ Elastic	Closure
6216	Green FR7A	9 oz.	14"	18"	External, Elastic
6217	Green FR7A with 2 1/4" elastic at both ends	9 oz.	18"	22"	External, Elastic
6217B	Blue FR7A with 2 1/4" elastic at both ends	9 oz.	18"	22"	External, Elastic
6217I	Green Indura® with 2 1/2" elastic at both ends	9 oz.	18"	22"	External, Elastic
6217WC	Green FR7A Indura® Whipcord	13 oz.	18"	22"	External, Elastic
6218	 6218 Green FR7A; Sizes L/XL; 62182X- 2" wider in bicep. 6218B – 18", 9 oz. Navy, FR7A. 6218D – 18", 9 oz. Orange, FR7A. 6218WC – 18", 13 oz. Green, Indura[®] Whipcord 	9 oz.	18"	18"	Internal, Elastic

WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.



