July 14, 2020

LAUNCH PACK

TILLMAN 1252 PREMIUM SIDE SPLIT COWHIDE STICK GLOVES

Stick Gloves with ANSI A6 Cut Resistance. The most versatile stick glove you'll ever need.







Table of Contents

Click on the headers below (they are linked to the pages within the document):

- Marketing Bulletin
- Pricing Bulletin
- 1252 Sell Sheet
- 1252 Specification Sheet
- Declaration of Conformity
- Competitive Overview
- Click here for the 1252 website page





MARKETING BULLETIN

TILLMAN 1252 PREMIUM SIDE SPLIT COWHIDE STICK GLOVES

Stick Gloves with ANSI A6 Cut Resistance. The most versatile stick glove you'll ever need.

Overview

There's no better way to design Stick Welding Gloves than to start with the legendary Tillman 1250, one of the top selling Stick Gloves in America. When Tillman was developing the 1252, we wanted the user to have cut resistance, dexterity and comfort. Most importantly, we wanted these gloves to not cause fatigue to the user.

To give the welder the protection they require, the palm, fingers and back of hand are lined with a DuPont[™] Kevlar[®] lining for ANSI A6 cut resistance. The DuPont[™] Kevlar[®] lining has outstanding strengthto-weight ratio, making it difficult for it to be cut or frayed for true protection. The addition of the DuPont[™] Kevlar[®] lining also provides some heat resistance for user comfort.

The 1252 incorporates Tillman's double reinforced thumb for added durability in this key wear area.

The glove is lock stitched with DuPont[™] Kevlar[®] thread for added strength and resistance to heat, spark and spatter. To protect the thread closest to the high heat areas, Tillman integrates the thread into the welted fingers to add life to the glove.

1252 Features

- Made from Tillman's premium side split Cowhide, the 1252 delivers durable protection for the hand.
- DuPont[™] Kevlar[®] lining with ANSI A6 cut resistance.
- A6 cut resistance on the fingers, palm and back of hand.
- 14" stick welding glove.
- Designed to deliver an incredible feel and dexterity to the user.
- Wing thumb for a great grip on the stinger.
- Double reinforced thumb for added strength in this high wear area.
- Sewn with DuPont[™] Kevlar[®] thread to protect seams.
- Sizes: M, L, XL and 2X.







Compliancy

The Tillman 1252 glove complies with the American National Standard for Hand Protection, ANSI ISEA 105-2016.

DuPont[™] and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



MARKETING BULLETIN

TILLMAN 1252 PREMIUM SIDE SPLIT COWHIDE STICK GLOVES

Stick Gloves with ANSI A6 Cut Resistance. The most versatile stick glove you'll ever need.

Applications

- Structural Steel
- Steel Fabrication
- Wind Energy
- Demolition and Salvage
- Manufacturing
- Farming and Ranch
- Oil & Gas
- Shipyards
- Handling

Availability

• Sizes M, L, XL, and 2X, are in stock, ready for orders.

Product Replacement

The **1252** replaces the **1080K** Stick Welding Gloves. With the launch of the **1252**, the **1080K** will be available until quantities are depleted.

Packaging Information

- Each pair is individually carded.
 - Minimum Order Quantities:
 M, L, XL 12 pair per size.
 2X 6 pair per size.
- Case Quantity: 48 pairs per size.

Model Numbers & Sizes

Part Numbers	Size	Color
1252M	Medium	Tillman 1252 Stick
1252L	Large	Welding Glove
1252XL	XL	with ANSI A6 Cut
12522X	2X	Resistance

Product Information

All information relevant to this product can be found at www.jtillman.com.

Ordering

For ordering information, please contact John Tillman Customer Service at 800.255.5480. Standard terms apply when ordering.

California Proposition 65

Part Numbers	Exposure to	Type of Toxicity
1252M, 1252L, 1252XL, 12522X	This product can expose you to chemicals including Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm.	Cancer, Developmental, Male & Female

WARNING: This product can expose you to chemicals including Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.





PRICING BULLETIN

TILLMAN 1252 PREMIUM SIDE SPLIT COWHIDE STICK GLOVES

Stick Gloves with ANSI A6 Cut Resistance

The Tillman 1252, a version of Tillman's bestselling Stick Welding glove, Tillman 1250, with a DuPont[™] Kevlar[®] lining, achieving ANSI A6 cut resistance.

1252 Features

- Made from Tillman's premium side split Cowhide, the 1252 delivers durable protection for the hand.
- DuPont™ Kevlar[®] lining with ANSI A6 cut resistance.
- A6 cut resistance on the fingers, palm and back of hand
- 14" Stick welding glove.
- Designed to deliver an incredible feel and dexterity to the user.

- Wing thumb for a great grip on the electrode.
- Double reinforced thumb for added strength in this high wear area.
- Sewn with DuPont[™] Kevlar[®] thread to protect seams.
- Sizes: M, L, XL and 2X



Product Replacement

The **1252** replaces the **1080K** Stick Welding Gloves. With the launch of the **1252**, the **1080K** will be available until quantities are depleted.

PART NUMBER	DESCRIPTION	SIZE	UPC	STOCK STATUS	UNIT OF MEASURE	MINIMUM ORDER QTY.	LIST PRICE	DISTRIBUTOR NET
1252M	Premium	Medium	608134125219	Available	1 Pair	12	\$25.00	\$15.00
1252L	blue side split Cowhide Stick	Large	608134125202	Available	1 Pair	12	\$25.00	\$15.00
1252XL	Welding Gloves with ANSI A6	X-Large	608134125233	Available	1 Pair	12	\$25.00	\$15.00
12522X	Cut Resistance	2X Large	608134125240	Available	1 Pair	6	\$25.00	\$15.00

WARNING

Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear.

DuPont™ and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

WARNING: This product can expose you to chemicals including Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.





The most versatile stick glove you'll ever need.



FEATURES

- The Tillman 1252, a version of Tillman's bestselling Stick Welding glove, Tillman 1250, with a DuPont™ Kevlar[®] lining, achieving ANSI A6 cut resistance.
- Made from Tillman's premium side split Cowhide, the 1252 delivers durable protection for the hand.
- DuPont[™] Kevlar[®] lining with ANSI A6 cut resistance.
- Designed to deliver an incredible feel and dexterity to the user.
- Sewn with DuPont[™] Kevlar[®] thread to protect seams.
- Sizes: M, L, XL and 2X.

Applications

- Stick Welding
- Plasma Cutting
- Material Handling

Industries

- Steel Mills
- Shipyards
- Structural Steel
- Steel Fabrication
- Fame and Ranch
- Oil & Gas
- Shipyards

Packaging information

- Each pair is individually carded.
 - Minimum Order Quantities:
 - M, L, XL 12 pair per size.
 - 2X 6 pair per size.
- Case Quantity: 48 pairs per size.

Tillman's premium side split Cowhide stays soft even when hot.
 14" Stick Welding Glove.
 A6 cut resistance on the fingers, palm and back of hand.

ANSI CUT

- Double reinforced thumb for added strength in this
- 5 Wing thumb for best gun grip.

high wear area.

6 Thumb strap reinforcement for added strength.

WARNING

Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear.

DuPont™ and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

WARNING: This product can expose you to chemicals including Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.





1252 Premium Split Cowhide **Stick Welding Glove** With ANSI A6 Cut Resistance

Description

The Tillman 1252 side split Cowhide Welding Glove delivers ANSI A6 Cut Resistance and is great for withstanding the high heat from stick welding applications.

A reinforced thumb gives you the great gripping power needed for heavy-duty welding. The DuPont[™] Kevlar[®] back, palm and fingers provides cut resistance and additional protection from heat and flame protection while providing the dexterity needed.

Made of durable split Cowhide, the 1252 resists stiffening, and maintains the soft feeling in hot environments while protecting hands. The welted fingers contain an extra leather layer between fingers for added spark resistance and durability.

Features

- Premium side split Cowhide stays soft even when hot.
- A6 cut resistance on the fingers, palm and back of hand.
- 14" length.
- Wing thumb.
- Durable Welted fingers protect stitching.
- Double reinforced thumb for added strength.
- Sewn with DuPont[™] Kevlar[®] for added strength
- Sizes: M. L. XL and 2X.

Technical Specifications

Glove Material: Cuff Material: Lining: Stitching: Closure:

Premium side split Cowhide Split Cowhide DuPont[™] Kevlar[®] DuPont[™] Kevlar[®] Straight cuff



Applications

- Construction sites
- Wind energy
- Utility crews
- Fabrication
- Steel mills
- Oil & gas
- Oil pipelines Demolition & salvage
- Shipvards
- Manufacturing

Packaging Information

		Piec	e Infor	matio	on Inner Pack Info				Master Pack Info - 48 Pcs							
Size	SKU	Piece UPC	L	W	Н	Wt	Inner Pk UPC	L	w	Н	Wt	Master Pk UPC	L	W	Н	Wt
Medium	1252M	608134125219	13.50	5.00	0.80	.75 lbs	NA	13.50	5.00	14.00	9 lbs	NA	15	13	24	36 lbs
Large	1252L	608134125202	14.00	5.50	0.80	.83 lbs	NA	14.00	5.50	14.00	10 lbs	NA	15	13	24	40 lbs
X Large	1252XL	608134125233	14.50	6.00	0.80	.91 lbs	NA	14.50	6.00	14.00	11 lbs	NA	15	13	24	44 lbs
2X Large	12522X	608134125240	15.00	6.50	0.80	1 lbs	NA	15.00	6.50	14.00	12 lbs	NA	15	13	24	48 lbs

WARNING

Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear

DuPont[™] and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

WARNING: This product can expose you to chemicals including Hexavalent Chromium (Chromium 6), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.







Tillman 1252 Stick Gloves, PN 1252 ANSI Declaration of Conformity

Manufacturer

John Tillman Company 1300 W Artesia Blvd Compton, CA. 90220 USA

Product

Part Number: 1252 Sizes: M, L, XL, 2X

Declaration

John Tillman Company declares that the Model 1252 glove is in conformity with the provisions of the American National Standard for Hand Protection, ANSI ISEA 105-2016.

Testing Laboratory

TRI Environmental 9063 Bee Cave Road Austin TX. 78733 USA

Performance Data

ANSI - 105 (2016) Cut Resistance - A6 Interpolated Weight (g) to Cut after 0.8 in (20 mm) of Blade Travel -- 3990



Authorized Signature

Name: Title of Signatory: Date: Jeffrey S Shipley Director of Marketing and Product Development 26-Jun-20

Signature:

June 26, 2020 Date:



Competitive Overview – 1252 Stick Gloves

Tillman 1252 Stick Glove with ANSI A6 Cut Resistance

Manufacturer Part #	Tillman 1252	Black Stallion 320CR	Steiner 2519BCR	MCR 48406K	
Gloves	TILLMAN TILLMA				
Web Price	List \$25.00	List \$24.50 - \$27.76	\$28.99	\$18.67 - \$24.49	
Glove Length	14"	14"	14"	14"	
Glove Material	Side Split Cowhide	Side Split Cowhide	Side Split Cowhide	Top Grain Goatskin	
Inner liner Material – Palm & Fingers	DuPont™ Kevlar®	Para-Aramid	Para-Aramid	DuPont™ Kevlar [®] DuPont™ Kevlar [®]	
Inner liner Material – Back	DuPont™ Kevlar®	Para-Aramid	Cotton & Foam		
ANSI	Cut A6	Cut A6	Cut A8	Cut A4	
Welted Fingers	Full	Full	Full		
Stitching	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	
Thumb Style	Wing	Wing	Wing	Wing	
Reinforced Thumb	Yes	Yes	Yes	No	
Sizes	M,L,XL,2X	L,XL	L	M,L,XL	

