



TILLMAN®



PRODUCT LAUNCH PACK

Tillman 1332 Premium Goatskin TIG Gloves
with ANSI A6 Cut Resistance and Level 3
Abrasion and Puncture Resistance

November 1, 2021

Tillman 1332

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance



**ANSI A6 Cut Resistance,
Level 3 Abrasion &
Puncture Resistance**

Table of Contents

(Note: The headers below are linked to the pages within the document.)

- Marketing Bulletin
- Pricing Bulletin
- 1332 Sell Sheet
- 1332 Specification Sheet
- Declaration of Conformity
- Shelf Talkers
- JTillman.com



Tillman 1332

Premium Goatskin TIG Glove with
ANSI A6 Cut Resistance



Tillman's TIG gloves have always been held to the highest of standards when it comes to design, craftsmanship and durability. The finest leathers and materials are used to provide the user a glove with excellent dexterity and feel to lay down perfect welds, time after time.

As expectations and job requirements change, so do the requirements of the welder for their hand protection. Enter the Tillman 1332; the most versatile TIG glove available. Constructed with supple Tillman Goatskin and a Para Aramid lining, you get a glove with incredible feel and dexterity along with ANSI A6 cut resistance and level 3 Abrasion and Puncture resistance.

The 1332 literally allows the user to handle material, cut material and weld all with one glove providing the comfort and protection required. Plus, the feel of the 1332 is incredible. The user will be amazed at the level of touch and dexterity when handling a stainless steel TIG welding rod or a tungsten electrode.

Don't let the Para Aramid lining concern you, the user still achieves incredible dexterity and feel with the 1332. Tillman designed the 1332 with incredibly soft Goatskin to deliver the legendary dexterity and feel Tillman is known for.

Features of the Tillman 1332 TIG Glove

- Made from Tillman's supple top grain Goatskin that offers durable protection for the hand.
- Tillman's top grain Goatskin outwears other leathers of the same weight and offers outstanding tactile sensitivity in wet and oily conditions.
- Designed to deliver an incredible feel and dexterity to the user.
- Para Aramid lining with ANSI A6 cut resistance on the fingers, palm, back of hand and cuff.
- Level 3 Abrasion and Puncture resistance.
- GlidePatch™ eases movement and protects side of the glove and provides protection from heat.
- Straight thumb for a great grip on the torch.
- Cinched wrist for a secure fit.
- Thumb strap reinforcement for added strength.
- Hem of the cuff is located at the thumb to not get snagged on a welding table for error free welds.
- 4" cuff for added protection.
- Sewn with DuPont™ Kevlar® thread to protect seams.
- Sizes: S, M, L, XL, 2X, 3X.



The Brand Pros Demand

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Tillman 1332

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance

Applications

- TIG welding
- Plasma cutting
- Material Handling
- Fabrication

Availability

- Sizes S, M, L, XL, 2X, and 3X are in stock and ready for orders.



ANSI A6 Cut Resistance and Level 3 Abrasion & Puncture Resistance



Product Placement

The 1332 replaces the 1328K TIG Gloves.

Model Numbers & Sizes Available

Part Numbers	Size	Color
1332S	Small	Premium Goatskin with A6 Cut resistance, Level 3 Abrasion resistance, and Level 3 Puncture resistance
1332M	Medium	
1332L	Large	
1332XL	X-Large	
13322X	2X-Large	
13323X	3X-Large	

Proposition 65 Information

⚠️ WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Product Information

All information relevant to this product can be found at www.JTillman.com.

Packaging Information

- Each glove is individually carded
 - MOQ:
 - 12/ per size S, M, L, XL
 - 6/ per size 2X, 3X
- Case Quantity: 72/per size

Ordering

For ordering information, please contact John Tillman Customer Service at 800.255.5480. Standard terms apply when ordering.



The Brand Pros Demand

Tillman 1332

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance

Features

- Tillman’s supple top grain Goatskin offers durable protection for the hand.
- Top grain Goatskin outwears other leathers of the same weight and offers outstanding tactile sensitivity in wet and oily conditions.
- Para Aramid lining with ANSI A6 Cut resistance on the finger, palm, back of hand and cuff.
- Level 3 Abrasion and Puncture resistance.
- Straight thumb for a great grip on the torch.
- Cinched wrist for a secure fit.
- GlidePatch™ eases movement and protects side of the glove to provide protection from heat.
- Thumb strap reinforcement for added strength.
- Hem of the cuff located at the thumb to not get snagged on a welding table for error free welds.
- 4” cuff for added protection.
- Sewn with DuPont™ Kevlar® thread to protect seams.
- Sizes: S, M, L, XL, 2X, 3X



Product Placement

The 1332 replaces the 1328K TIG Gloves.

PN	Size	Description	Stock Status	UPC - Each	UoM	Minimum Order Qty.	List Price	Dist Net
1332S	Small	Premium Goatskin with A6 Cut resistance, Level 3 Abrasion resistance, and Level 3 Puncture resistance	Available	608134133221	PR	12	\$25.68	\$15.41
1332	Medium		Available	608134133214	PR	12	\$25.68	\$15.41
1332L	Large		Available	608134133207	PR	12	\$25.68	\$15.41
1332XL	X-Large		Available	608134133245	PR	12	\$25.68	\$15.41
13322X	2X-Large		Available	608134133252	PR	6	\$25.68	\$15.41
13323X	3X-Large		Available	608134133269	PR	6	\$25.68	\$15.41

⚠ WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

* WARNING: Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear.



The Brand Pros Demand



Tillman 1332

TIG Glove

Get the dexterity & touch you need with
ANSI A6 Cut Resistance



Features

- Tillman's supple top grain Goatskin offers durable protection and great tactility.
- Top grain Goatskin outwears other leathers of the same weight and offers outstanding tactile sensitivity in grimy conditions.
- ANSI A6 Cut protection is achieved with a Para Aramid lining for unbeatable Cut resistance, dexterity and comfort.
- A6 Cut resistance in the finger, palm, back of hand and cuff for total protection.
- Level 3 Abrasion and Puncture resistance.
- Delivers an incredible feel and dexterity to the user.
- A flexible straight thumb allows greater movement for a great grip on the torch and stick.
- Hem of the cuff located at the thumb to not get snagged on a welding table for error free welds.
- Sizes: S, M, L, XL, 2X, 3X.

Applications

- TIG welding
- Plasma cutting
- Material handling
- Fabrication

Industries

- Steel Mills
- Shipyards
- Manufacturing
- Automotive
- High Production Manufacturing

Packaging Information

- Each pair is individually carded.
 - MOQ: 12/pair per size - S, M, L, XL.
 - 6/pair per size - 2X, 3X
- Case Quantity: 72/per size.

Warning

Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand, and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear.

- 1 Excellent Abrasion and Puncture resistance with top grain Goatskin.
- 2 A6 Cut resistance and comfort.
- 3 Straight thumb for great gun control.
- 4 4" split leather cuff for added protection.
- 5 GlidePatch™ eases movement and provides protection from heat.
- 6 Cinched wrist for a secure fit.
- 7 Thumb strap reinforcement for added strength.



Proposition 65 Information

⚠ WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

The Brand Pros Demand



1332

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance

Specification Sheet

Description

The Tillman 1332 TIG glove is designed so that touch, feel, comfort, and dexterity is emphasized with ANSI A6 Cut resistance.

We started with incredibly soft and supple Goatskin that delivers a great sense of touch and feel.

The palm, fingers, back of hand, and the cuff are lined with a Para Aramid lining for ANSI A6 Cut resistance and Level 3 Abrasion and Level 3 Puncture protection.

The GlidePatch™ provides heat relief on the side of the palm and protects the side of the glove when resting on a welding table or hot metal.

Features

- Premium top grain Goatskin.
- A6 Cut resistance on the fingers, palm, back of hand, and cuff.
- Straight thumb for best gun grip.
- Cinched wrist for secure fit.
- Level 3 Abrasion & Puncture resistance.
- GlidePatch™ eases movement and protects side of glove when dragging a welding gun.
- Reinforced thumb for added strength.
- Sewn with DuPont™ Kevlar® for added strength.
- Sizes: S, M, L XL, 2X, 3X.



Technical Specifications

Glove Material:	Premium top grain Goatskin
Cuff Material:	Split Cowhide
Lining:	Para Aramid
Stitching:	DuPont™ Kevlar®
Closure:	Cinched cuff

Applications

Construction sites	Oil pipelines
Wind energy	Demolition & salvage
Utility crews	Shipyards
Fabrication	Manufacturing
Steel Mills	Oil & Gas

Packaging Information

Size	SKU	Piece Information					12 Pcs S-XL, 6 Pcs 2X-3X Inner Pack Info -				Master Pack Info - 72 Pcs					
		Piece UPC	L	W	H	Wt	Inner Pk UPC	L	W	H	Wt	Master Pk UPC	L	W	H	Wt
Small	1332S	608134133221	11.25"	4.25"	.5"	.42 lbs.	10608134133228	11.25"	4.25"	5.5"	5 lbs.	20608134133225	15.5"	12.5"	25.5"	31.35 lbs.
Medium	1332M	608134133214	11.75"	4.5"	.6"	.45 lbs.	10608134133211	11.75"	4.5"	5.5"	5.4 lbs.	20608134133214	15.5"	12.5"	25.5"	34.02 lbs.
Large	1332L	608134133207	12.00"	4.75"	.7"	.47 lbs.	10608134133204	12.00"	4.75"	5.5"	5.6 lbs.	20608134133207	15.5"	12.5"	25.5"	35.28 lbs.
X Large	1332XL	608134133245	12.50"	5.00"	.8"	.49 lbs.	10608134133242	12.50"	5.00"	5.5"	3.9 lbs.	20608134133245	15.5"	12.5"	25.5"	32.17 lbs.
2X Large	13322X	608134133252	13.00"	5.25"	1.00"	.55 lbs.	10608134133259	13.00"	5.25"	5.5"	3.32 lbs.	20608134133252	15.5"	12.5"	25.5"	39.24 lbs.
3X Large	13323X	608134133269	13.50"	5.50"	1.00"	.59 lbs.	10608134133266	13.00"	5.25"	5.5"	3.55 lbs.	20608134133263	15.5"	12.5"	25.5"	42.60 lbs.

⚠️ WARNING: Leather products can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

* WARNING: Gloves are cut-resistant, not cut proof. Extreme caution should be used when handling sharp objects and around machinery. Read, understand and follow all labels and instructions prior to use. Inspect gloves before each use and remove from service if there is any evidence of damage or excessive wear.

The Brand Pros Demand

**1332**Premium Goatskin TIG Glove
with ANSI A6 Cut Resistance
**Tillman 1332 TIG Gloves, PN 1332
ANSI Declaration of Conformity**
**Manufacturer**

John Tillman Company
1300 W. Artesia Blvd.
Compton, CA 90220
USA

Product

Part Number: 1332
Sizes: S, M, L, XL, 2X, 3X

Declaration

John Tillman Company declares that the Model 1332 glove is in conformity with the provisions of the American National Standard for Hand Protection, ANSI ISEA 105-2016.

Testing Laboratory

TRI Environmental
9063 Bee Cave Road
Austin, TX 78733
USA

Performance Data**ANSI - 105 (2016)****Cut Resistance - A6**

Interpolated Weight (g) to Cut after 0.8 in (20 mm) of
Blade Travel -- 3990

**Authorized Signature**

Name: Jeff Shipley
Title of Signatory: Director of Marketing and Product Development
Date: 26-Jun-20

June 26, 2020

Signature:**Date:*****The Brand Pros Demand***

Cut on dotted line.



TILLMAN[®]

The Brand Pros Demand

Tillman 1332 TIG Glove

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance

- 1** Excellent Abrasion and Puncture resistance with top grain Goatskin.
- 2** A6 Cut resistance and comfort.
- 3** Straight thumb for great gun control.
- 4** 4" split leather cuff for added protection.
- 5** GlidePatch™ eases movement and provides protection from heat.



JTillman.com



Cut on dotted line.
TAPE THIS AREA TO SHELF.

Fold Here

Fold Here



The Brand Pros Demand

Tillman 1332 TIG Glove

- Premium top grain Goatskin.
- A6 Cut resistance on the fingers, palm, back of hand, and cuff.
- Straight thumb for best gun grip.
- Cinched wrist for secure fit.
- Level 3 Abrasion & Puncture resistance.
- GlidePatch™ eases movement and protects side of glove when dragging a welding gun.

JTillman.com






TILLMAN®

The Brand Pros Demand

Tillman 1332 TIG Glove

Premium Goatskin TIG Glove with ANSI A6 Cut Resistance



- Premium top grain Goatskin.
- A6 Cut resistance on the fingers, palm, back of hand, and cuff.
- Straight thumb for best gun grip.
- Cinched wrist for secure fit.
- Level 3 Abrasion & Puncture resistance.
- GlidePatch™ eases movement and protects side of glove when dragging a welding gun.