

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List <i>Tillman 585</i>)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
-------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

Section I

Manufacturer's Name John Tillman Co.	Emergency Telephone Number 310-764-0110
Address (Number, Street, City, State, and ZIP code)	Telephone Number for Information 310-764-0110
1300 W. Artesia Blvd.	Date Prepared April 19, 2012
Compton, CA 90220	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Fibrous Glass		10mg/m ³ of air		
		For fiber diameters		
		of less than 7 microns		

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity H2O-1	1.22
Vapor Pressure (mm Hg)	N/A	Melting Point	>1000F
Vapor Density (AIR = 1)	N/A	Evaporation Rate	N/A
Solubility in Water Negligible			
Appearance and Odor Salmon Coated Fabric /No odor			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) >250 C by TOC	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media Water,carbon dioxide, dry chemical			
Special Fire Fighting Procedures None Known			
Unusual Fire and Explosion Hazards None Known			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid None Known
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) Strong oxidizing agents			
Hazardous Decomposition or By products Hydrogen Chloride,Carbon Dioxide,Carbon Monoxide			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:This material will not enter the body during normal use.	Inhalation?	Skin?	Ingestion?
Health Hazards (<i>Acute and Chronic</i>) None Known			
Carcinogenicity: This material is not known to be a carcinogen.	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure		None Known	
Medical Conditions Generally Aggravated by Exposure		None Known	
Emergency and First Aid Procedures: Wash with soap and warm water after handling.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled	
Material is a solid.	
Waste Disposal Method: Burial in a federal or state approved landfill.	
Precautions to Be taken in Handling and Storing : None Known	
Other Precautions	
None Known	

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>)			
None			
Ventilation	Local Exhaust	None Needed	Special None Needed
	Mechanical	None Needed	Other None Needed
Protective Gloves		None Needed	Eye Protection None Needed
Other Protective Clothing or Equipment None Needed			
Work/Hygienic Practices: Wash with soap and warm water after handling.			

* U.S.G.P.O.: 1986 - 491 - 529/45775