

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

<p>IDENTITY (As Used on Label and List)</p> <p><i>Tillman Flextra®</i></p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
--	--

Manufacturer's Name John Tillman Co.	Emergency Telephone Number 310-764-0110
Address (<i>Number, Street, City, State, and ZIP Code</i>)	Telephone Number for Information 310-764-0110
1300 W. Artesia Blvd.	Date Prepared March 21, 2013
Compton, CA 90220	Signature of Preparer (<i>optional</i>)

[illegible]

--

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	2.5
Vapor Pressure (mm Hg)	N/A	Melting Point	>1000 F
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water N/A			
Appearance Light Tan or White Fabric			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 250% C by TOC	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media Water, carbon dioxide, or dry chemical			
Special Fire Fighting Procedures: Thermal decomposition of fiber coating may produce an Irritating mixture of smoke and fumes. Fire fighters should wear full protective gear including NIOSH approved self-contained breathing apparatus.			
Unusual Fire and Explosion Hazards NONE			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid None Known
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) Strong oxidizing agents			
Hazardous Decomposition or Byproducts			

Carbon monoxide, carbon dioxide			
Hazardous Polymerization	May Occur		Conditions to Avoid None Known
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? yes	Skin? no	Ingestion? N/A
Health Hazards (<i>Acute and Chronic</i>)			
See attachment			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure Skin, Eye ,and Respiratory Tract Irritation			
Medical conditions generally Aggravated by exposure: Generally aggravated by exposure: any condition generally aggravated by mechanical irritants in air or on skin.			
Emergency and first aid procedures :Eye Contact: Flush with water for 15 minutes-get medical assistance if irritation persists. Skin Contact: Wash with soap and water after contact. Inhalation: Drink water to clear throat, blow nose to evacuate fibers.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Prevent the spread of fiberglass dust & avoid dust generation conditions. Those involved in clean up of particulates should use appropriate personal protective equipment. (See section VIII). Vacuum clean dusts. If sweeping is necessary, use a dust suppressant.

Waste Disposal Method: In most cases, woven fiberglass scrap can be disposed of in a sanitary landfill in accordance with Federal, State, & local regulations. Check with local authorities any questions concerning disposal.

Precautions to Be taken in Handling and Storing: Store and use in a manner that will prevent airborne particulates in the workplace.

Other Precautions None Known

Section VIII - Control Measures

Respiratory Protection *(Specify Type) where dust level exceeds the TLV, use NIOSH approved respirator to protect against nuisance dusts.*

Ventilation	Local Exhaust Recommended for processing machinery where dust generation is apparent.	Special Not normally required.
	Mechanical <i>(General)</i> Yes, where local exhaust ventilation is not feasible.	Other Not normally required.

Protective Gloves and barrier creams if necessary.	Eye Protection Safety glasses with side shield goggles.
--	---

Other Protective Clothing or Equipment Work aprons or smocks are recommended. Wear loose fitting long sleeved clothing. NIOSH approved air supplied or self contained respirator.

Work/Hygienic Practices Wash thoroughly after work. For non routine & emergency situations we recommend laundering work clothes separately and wiping out the washer at the end of every cycle.